



Specification

Model no.	Max. stroke (mm)	Main dimensions (mm)									Retainer dimensions (mm)				
		H	T	L	n*p	W1	W2	L1	L2	N	ØD	L3	R	P1	P2
GRDP01-20	13	17	4	20	1*10	13.4	7.8	5	1.3	10	Ø1.5	15.8	5	1.9	3
GRDP01-30	21			30	2*10							21.8	7		
GRDP01-40	29			40	3*10							27.8	9		
GRDP01-50	37	24	6	50	4*10	19	11	7.5	1.5	15	Ø2	33.8	11	2.8	4
GRDP01-60	45			60	5*10							39.8	13		
GRDP01-70	53			70	6*10							45.8	15		
GRDP01-80	61	36	8	80	7*10	29	16.6	12.5	2	2.5	Ø3	51.8	17	3.2	5
GRDP02-30	24			30	1*15							21.6	5		
GRDP02-45	30			45	2*15							33.6	8		
GRDP02-60	44	44	11	60	3*15	35	20	20	2	40	Ø4	41.6	10	4.3	7
GRDP02-75	58			75	4*15							49.6	12		
GRDP02-90	72			90	5*15							57.6	14		
GRDP02-105	86	44	11	105	6*15	35	20	20	2	40	Ø4	65.6	16	4.3	7
GRDP02-120	100			120	7*15							73.6	18		
GRDP02-135	106			135	8*15							85.6	21		
GRDP02-150	120	44	11	150	9*15	35	20	20	2	40	Ø4	93.6	23	4.3	7
GRDP02-165	134			165	10*15							101.6	25		
GRDP02-180	148			180	11*15							109.6	27		
GRDP03-50	34	44	11	50	1*25	35	20	20	2	40	Ø4	36.4	7	4.3	7
GRDP03-75	54			75	2*25							51.4	10		
GRDP03-100	74			100	3*25							66.4	13		
GRDP03-125	104	44	11	125	4*25	35	20	20	2	40	Ø4	76.4	15	4.3	7
GRDP03-150	124			150	5*25							91.4	18		
GRDP03-175	144			175	6*25							106.4	21		
GRDP03-200	164	44	11	200	7*25	35	20	20	2	40	Ø4	121.4	24	4.3	7
GRDP03-225	184			225	8*25							136.4	27		
GRDP03-250	204			250	9*25							151.4	30		
GRDP03-275	224	44	11	275	10*25	35	20	20	2	40	Ø4	166.4	33	4.3	7
GRDP03-300	244			300	11*25							181.4	36		
GRDP04-80	54			44	11							80	1*40		
GRDP04-120	92	120	2*40			78.6	11								
GRDP04-160	130	160	3*40			99.6	14								
GRDP04-200	154	44	11	200	4*40	35	20	20	2	40	Ø4	127.6	18	4.3	7
GRDP04-240	192			240	5*40							148.6	21		
GRDP04-280	230			280	6*40							169.6	24		
GRDP04-320	254	44	11	320	7*40	35	20	20	2	40	Ø4	197.6	28	4.3	7
GRDP04-360	292			360	8*40							218.6	31		
GRDP04-400	330			400	9*40							239.6	34		
GRDP04-440	354	44	11	440	10*40	35	20	20	2	40	Ø4	267.6	38	4.3	7
GRDP04-480	392			480	11*40							288.6	41		

Ordering Example :	GR	D	P	03	75	P
	Roller	D rail	POM Retainer	Roller dia.	Rail length	Precision Level



Material specification

Material Component	Rail	Roller	Retainer
Model no.			
GRDP	SUJ2		POM

Mounting dimensions (mm)						Load per roller			Weight (g) / 2 pieces
T1	M	d1	d2	A	B	Basic dynamic load rating	Basic static load rating	Allowable load	Standard
0.5	M2	1.65	3	2 ^{+0.010}	1.4	125N/1pcs	144N/1pcs	48N/1pcs	9
									13
									17
									20
									24
									29
0.5	M3	2.55	4.4	3 ^{+0.010}	2	293N/1pcs	292N/1pcs	97N/1pcs	33
									27
									40
									53
									66
									78
0.5	M4	3.3	6	4 ^{+0.012}	3.1	638N/1pcs	761N/1pcs	254N/1pcs	91
									104
									117
									130
									142
									155
0.5	M5	4.3	7.5	5 ^{+0.012}	4.1	1230N/1pcs	1170N/1pcs	390N/1pcs	155
									194
									139
									183
									228
									273
0.5	M5	4.3	7.5	5 ^{+0.012}	4.1	1230N/1pcs	1170N/1pcs	390N/1pcs	317
									362
									406
									451
									496
									540
0.5	M5	4.3	7.5	5 ^{+0.012}	4.1	1230N/1pcs	1170N/1pcs	390N/1pcs	540
									540
									540
									540
									540
									540